FILE COPY

TestAmerica

THE LEADER IN ENVIRONMENTAL TESTING

ANALYTICAL REPORT

TestAmerica Laboratories, Inc. TestAmerica Westfield Westfield Executive Park 53 Southampton Road Westfield, MA 01085

CHECKED FOR COMPLETENESS

Tel: (413)572-4000

TestAmerica Job ID: 360-32852-1

Client Project/Site: Olin Chemical Quarterly Groundwater

For:

Olin Corporation 3855 North Ocoee Street Suite 200 Cleveland, Tennessee 37312-4441

Attn: Steven Morrow

Authorized for release by: 04/05/2011 11:47:10 AM

Joe Chimi

Report Production Representative joe.chimi@testamericainc.com

Designee for

Becky Mason

Project Manager II

becky.mason@testamericainc.com

..... LINKS

Review your project results through

Have a Question?



Visit us at:

www.testamericainc.com

Results relate only to the items tested and the sample(s) as received by the laboratory. The test results in this report meet all 2003 NELAC requirements for accredited parameters, exceptions are noted in this report. Pursuant to NELAC, this report may not be reproduced except in full, and with written approval from the laboratory. For questions please contact the Project Manager at the e-mail address or telephone number listed on this page.

This report has been electronically signed and authorized by the signatory. Electronic signature is intended to be the legally binding equivalent of a traditionally handwritten signature.

Page 1 of 21

04/05/2011

9

Table of Contents

Cover Page	1
Table of Contents	2
Case Narrative	3
Detection Summary	6
Method Summary	7
Sample Summary	8
Client Sample Results	9
Definitions	11
QC Association	12
QC Sample Results	13
Chronicle	17
Certification Summary	18
Sample Receipt Checklist	20
Chain of Custody	21

3

6

Ω

9

11

12

13

Case Narrative

Client: Olin Corporation TestAmerica Job ID: 360-32852-1

Project/Site: Olin Chemical Quarterly Groundwater

Job ID: 360-32852-1

Laboratory: TestAmerica Westfield

Narrative

With the exceptions noted as flags or footnotes, standard analytical protocols were followed in the analysis of the samples and no problems were encountered or anomalies observed. In addition all laboratory quality control samples were within established control limits, with any exceptions noted below. Each sample was analyzed to achieve the lowest possible reporting limit within the constraints of the method. In some cases, due to interference or analytes present at high concentrations, samples were diluted. For diluted samples, the reporting limits are adjusted relative to the dilution required.

Calculations are performed before rounding to avoid round-off errors in calculated results.

All holding times were met and proper preservation noted for the methods performed on these samples, unless otherwise detailed in the individual sections below.

RECEIPT

The samples were received on 03/23/2011; the samples arrived in good condition, properly preserved and on ice. The temperature of the coolers at receipt was 2.2 C.

Note: All samples which require thermal preservation are considered acceptable if the arrival temperature is within 2 C of the required temperature or method specified range. For samples with a specified temperature of 4 C, samples with a temperature ranging from just above freezing temperature of water to 6 C shall be acceptable. Samples that are hand delivered immediately following collection may not meet these criteria, however they will be deemed acceptable according to NELAC standards, if there is evidence that the chilling process has begun, such as arrival on ice, etc.

DISSOLVED METALS

Samples OC-GW-25 (360-32852-1), OC-GW-78S (360-32852-2), OC-GW-79S (360-32852-3) and OC-PZ-18R (360-32852-4) were analyzed for dissolved metals in accordance with EPA SW-846 Method 6010B. The samples were analyzed on 03/24/2011.

At the request of the client, an abbreviated/modified MCP analyte list was reported for this job.

No difficulties were encountered during the dissolved metals analyses. \\

All quality control parameters were within the acceptance limits.

ANIONS

Samples OC-GW-25 (360-32852-1), OC-GW-78S (360-32852-2), OC-GW-79S (360-32852-3) and OC-PZ-18R (360-32852-4) were analyzed for anions in accordance with EPA Method 300.0. The samples were analyzed on 03/24/2011.

Samples OC-GW-25 (360-32852-1)[10X], OC-GW-78S (360-32852-2)[10X], OC-GW-79S (360-32852-3)[10X], OC-GW-79S (360-32852-3)[20X] and OC-PZ-18R (360-32852-4)[10X] required dilution prior to analysis due to high target concentration. The reporting limits have been adjusted accordingly.

No difficulties were encountered during the anions analyses.

All quality control parameters were within the acceptance limits.

AMMONIA

Samples OC-GW-25 (360-32852-1), OC-GW-78S (360-32852-2), OC-GW-79S (360-32852-3) and OC-PZ-18R (360-32852-4) were analyzed for ammonia in accordance with Lachat 107-06-1B. The samples were prepared on 03/31/2011 and analyzed on 04/04/2011.

Samples OC-GW-25 (360-32852-1)[10X], OC-GW-78S (360-32852-2)[10X], OC-GW-79S (360-32852-3)[10X] and OC-PZ-18R (360-32852-4)[10X] required dilution prior to analysis due to high concentration. The reporting limits have been adjusted accordingly.

No difficulties were encountered during the ammonia analyses.

All quality control parameters were within the acceptance limits.

3

4

9

1 1

12

13

TestAmerica Westfield 04/05/2011

Case Narrative

Client: Olin Corporation TestAmerica Job ID: 360-32852-1

Project/Site: Olin Chemical Quarterly Groundwater

Job ID: 360-32852-1 (Continued)

Laboratory: TestAmerica Westfield (Continued)

SPECIFIC CONDUCTIVITY

Samples OC-GW-25 (360-32852-1), OC-GW-78S (360-32852-2), OC-GW-79S (360-32852-3) and OC-PZ-18R (360-32852-4) were analyzed for specific conductivity in accordance with SM20 2510B. The samples were analyzed on 04/04/2011.

No difficulties were encountered during the conductivity analyses.

All quality control parameters were within the acceptance limits.

1

3

4

5

7

8

4.6

11

12

IR

			N	lass	DEP Analy	ytical	Protocol C	erti	fication Form		
Laboi	ratory N	lame:	TestAn	nerio	a Westfield		Proje	ect #:	360-3285	52-1	
	ect Loca						•	RTN:			
_			s certifications	s for	the followin	g data			ry Sample ID Number(s):		
360-3	28 52-(1	1-4)									
Matric	ces:	X	Groundwater/S	Surfa	ce Water		Soil/Sediment	t 🗌	Drinking Water ☐ Air	Othe	r:
CAM	Proto	cols (check all tha	t ap	ply below):						
8260	VOC		7470/7471 Hg		Mass DEP V	PH	8081 Pesticid	es	7196 Hex Cr	Mass DEP A	νPH
CAM			CAM III B		CAM IV A		CAM V B		CAM VI B	CAM IX A	
	SVOC		7010 Metals	_	Mass DEP E	PH	8151 Herbicid	les	8330 Explosives	TO-15 VOC	
CAM	II B		CAM III C		CAM IV B		CAM V C 9014 Total		CAM VIII A	CAM IX B	
6010	Metals		6020 Metals		8082 PCB		Cyanide/PAC		332.0 Perchlorate		
CAM	III A	X	CAM III D		CAM V A		CAM VI A		CAM VIII B		
	Affirm	ative	Responses to	Que	stions A thro	ough F	are required	for "	Presumptive Certainty" st	atus	
	Were	all san	ples received i	nao	condition cons	sistent	with those des	cribe	ed on the Chain-of-Custody,		
Α				g ter	mperature) in	the fie	ld or laboratory	y, and	d prepared/analyzed within		¬
			ing time.	, ,						X Yes	No
В			alytical methodi bllowed?	(s) a	nd all associa	ted Q	C requirements	s spe	cified in the selected CAM	X Yes	No
С			uired corrective nplemented for						ecified in the selected CAM nformances?	X Yes	□ No
									pecified in CAM VII A,		
D	"Qualit Data"?		urance and Qua	lity (Control Guide	lines f	or the Acquisiti	ion ar	nd Reporting of Analytical	X Yes	□ No
			and APH Meth		•				_	Yes	No
E			, ,			, ,	-		t modifications).	Yes	_
	1							•	d for each method? onformances identified and	res L	No
F									stions A through E)?	X Yes	□ No
	Re	spon	ses to Questio	ns C	6, H and I bel	ow ar	e required for	"Pre	sumptive Certainty" statu		
G	Were to		oorting limits at	or be	elow all CAM	reporti	ing limits speci	fied i	n the selected CAM	X Yes	□ No¹
	User N	lote: D			•	-	•		cessarily meet the data usabi	lity and	
			requirements d								7
Н	Were	all QC	performance s	tand	ards specified	d in the	e CAM protoco	l(s) a	chieved?	X Yes	No
1			•				•		cted CAM protocol(s) ?	Yes	∐ No
	_		nses must be a				•				
obtair		inforn	nation, the mate						oon my personal inquiry of the hest of my knowledge and		ble for
is acc	urale di	ilu COII	ipiete.	_	/_/						
Signa	ture:		200	4	oluna		Pos	sition:	Laboratory D	Director	
Printe	d Name	e:	Steve	n C.	Hartmann		<u>.</u>	Date:	4/5/11 11	:42	
This forn	n has beer	n electror	ically signed and app	roved							

Page 5 of 21 04/05/2011

Detection Summary

Client: Olin Corporation

Client Sample ID: OC-GW-25

Project/Site: Olin Chemical Quarterly Groundwater

,

Lab Sample ID: 360-32852-1

TestAmerica Job ID: 360-32852-1

Analyte Chromium	Result 2.9	Qualifier J	RL 5.0	MDL 0.65		Dil Fac	<u>D</u>	Method 6010B	Prep Type Dissolved
Analyte	Result	Qualifier	RL	RL	Unit	Dil Fac	D	Method	Prep Type
Sulfate	120		20	20	mg/L	10	_	300.0	Total/NA
Chloride	50		10	10	mg/L	10		300.0	Total/NA
Ammonia	59		1.0	1.0	mg/L	10		L107-06-1B	Total/NA
Specific Conductance	650		1.0	1.0	umhos/cm	1		SM 2510B	Total/NA

Client Sample ID: OC-GW-78S Lab Sample ID: 360-32852-2

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Chromium	6.3		5.0	0.65	ug/L	1	_	6010B	Dissolved
Analyte	Result	Qualifier	RL	RL	Unit	Dil Fac	D	Method	Prep Type
Sulfate	370		20	20	mg/L	10	_	300.0	Total/NA
Chloride	10		1.0	1.0	mg/L	1		300.0	Total/NA
Ammonia	37		1.0	1.0	mg/L	10		L107-06-1B	Total/NA
Specific Conductance	920		1.0	1.0	umhos/cm	1		SM 2510B	Total/NA

Client Sample ID: OC-GW-79S Lab Sample ID: 360-32852-3

Analyte Chromium	7.8	Qualifier	RL 5.0	MDL 0.65		Dil Fac	<u>D</u>	Method 6010B	Prep Type Dissolved
Analyte	Result	Qualifier	RL	RL	Unit	Dil Fac	D	Method	Prep Type
Sulfate	1200		40	40	mg/L	20		300.0	Total/NA
Chloride	170		10	10	mg/L	10		300.0	Total/NA
Ammonia	190		1.0	1.0	mg/L	10		L107-06-1B	Total/NA
Specific Conductance	2700		1.0	1.0	umhos/cm	1		SM 2510B	Total/NA

Client Sample ID: OC-PZ-18R Lab Sample ID: 360-32852-4

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Chromium	8.8		5.0	0.65	ug/L	1	_	6010B	Dissolved
Analyte	Result	Qualifier	RL	RL	Unit	Dil Fac	D	Method	Prep Type
Sulfate	190		20	20	mg/L	10	_	300.0	Total/NA
Chloride	100		10	10	mg/L	10		300.0	Total/NA
Ammonia	40		1.0	1.0	mg/L	10		L107-06-1B	Total/NA
Specific Conductance	930		1.0	1.0	umhos/cm	1		SM 2510B	Total/NA

4

6

8

10

12

13

Method Summary

Client: Olin Corporation

Project/Site: Olin Chemical Quarterly Groundwater

Method	Method Description	Protocol	Laboratory
6010B	Dissolved Metals	SW846	TAL WFD
300.0	Chloride & Sulfate	40CFR136A	TAL WFD
L107-06-1B	Nitrogen Ammonia	LACHAT	TAL WFD
SM 2510B	Conductivity, Specific Conductance	SM	TAL WFD

Protocol References:

40CFR136A = "Methods for Organic Chemical Analysis of Municipal Industrial Wastewater", 40CFR, Part 136, Appendix A, October 26, 1984 and subsequent revisions.

LACHAT = LACHAT

SM = "Standard Methods For The Examination Of Water And Wastewater",

SW846 = "Test Methods For Evaluating Solid Waste, Physical/Chemical Methods", Third Edition, November 1986 And Its Updates.

Laboratory References:

TAL WFD = TestAmerica Westfield, Westfield Executive Park, 53 Southampton Road, Westfield, MA 01085, TEL (413)572-4000

TestAmerica Job ID: 360-32852-1

A

E

_

7

9

10

11

4.0

Sample Summary

Client: Olin Corporation

Project/Site: Olin Chemical Quarterly Groundwater

Lab Sample ID	Client Sample ID	Matrix	Collected	Received
360-32852-1	OC-GW-25	Water	03/23/11 09:10	03/23/11 18:00
360-32852-2	OC-GW-78S	Water	03/23/11 10:20	03/23/11 18:00
360-32852-3	OC-GW-79S	Water	03/23/11 09:25	03/23/11 18:00
360-32852-4	OC-PZ-18R	Water	03/23/11 10:35	03/23/11 18:00

_1

TestAmerica Job ID: 360-32852-1

3

4

6

Ω

9

10

11

12

Analytical Data

Client: Olin Corporation TestAmerica Job ID: 360-32852-1

Project/Site: Olin Chemical Quarterly Groundwater

Method: 6010B - Dissolved Metals - Dissolved

Client Sample ID: OC-GW-25 Lab Sample ID: 360-32852-1 Date Collected: 03/23/11 09:10 **Matrix: Water**

Date Received: 03/23/11 18:00

Analyte RL MDL Unit Result Qualifier D Prepared Analyzed Dil Fac 12 ug/L Aluminum ND 100 03/24/11 12:49 Chromium 2.9 J 5.0 0.65 ug/L 03/24/11 12:49

Client Sample ID: OC-GW-78S Lab Sample ID: 360-32852-2

Date Collected: 03/23/11 10:20 Date Received: 03/23/11 18:00

Analyte RL MDL Unit Result Qualifier Prepared Analyzed Dil Fac D Aluminum ND 100 12 ug/L 03/24/11 12:52 5.0 03/24/11 12:52 Chromium 6.3 0.65 ug/L

Client Sample ID: OC-GW-79S Lab Sample ID: 360-32852-3

Date Collected: 03/23/11 09:25

Date Received: 03/23/11 18:00

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Aluminum	ND		100	12	ug/L			03/24/11 12:54	1
Chromium	7.8		5.0	0.65	ug/L			03/24/11 12:54	1

Client Sample ID: OC-PZ-18R Lab Sample ID: 360-32852-4 Date Collected: 03/23/11 10:35 **Matrix: Water**

Date Received: 03/23/11 18:00

MDL Unit Analyte RL Dil Fac Result Qualifier D Prepared Analyzed Aluminum ND 100 12 03/24/11 12:57 ug/L Chromium 8.8 5.0 0.65 ug/L 03/24/11 12:57

Matrix: Water

Matrix: Water

Analytical Data

Client: Olin Corporation TestAmerica Job ID: 360-32852-1

Project/Site: Olin Chemical Quarterly Groundwater

General Chemistry

Client Sample ID: OC-GW-25						Lab S	Sample ID: 360	-32852-1
Date Collected: 03/23/11 09:10							Matr	ix: Water
Date Received: 03/23/11 18:00								
Analyte	Result	Qualifier	RL	RL Unit	D	Prepared	Analyzed	Dil Fac

Analyte	Result	Qualifier	RL	RL	Unit	D	Prepared	Analyzed	Dil Fac
Sulfate	120		20	20	mg/L			03/24/11 13:37	10
Chloride	50		10	10	mg/L			03/24/11 13:37	10
Ammonia	59		1.0	1.0	mg/L		03/31/11 16:36	04/04/11 14:21	10
Specific Conductance	650		1.0	1.0	umhos/cm			04/04/11 11:22	1

Client Sample ID: OC-GW-78S	Lab Sample ID: 360-32852-2
Date Collected: 03/23/11 10:20	Matrix: Water
Date Received: 03/23/11 18:00	

Date Received. 00/20/11 10:00									
Analyte	Result	Qualifier	RL	RL	Unit	D	Prepared	Analyzed	Dil Fac
Sulfate	370		20	20	mg/L			03/24/11 14:08	10
Chloride	10		1.0	1.0	mg/L			03/24/11 13:52	1
Ammonia	37		1.0	1.0	mg/L		03/31/11 16:36	04/04/11 14:22	10
Specific Conductance	920		1.0	1.0	umhos/cm			04/04/11 11:23	1

Client Sample ID: OC-GW-79S							Lab	Sample ID: 360-	32852-3
Date Collected: 03/23/11 09:25								•	c: Water
Date Received: 03/23/11 18:00									
Analyte	Result	Qualifier	RL	RL	Unit	D	Prepared	Analyzed	Dil Fac
Culfoto	1200		40	40	ma/l			03/24/11 17:09	20

Analyte	Result	Qualifier	RL	RL	Unit	D	Prepared	Analyzed	Dil Fac
Sulfate	1200		40	40	mg/L			03/24/11 17:08	20
Chloride	170		10	10	mg/L			03/24/11 14:38	10
Ammonia	190		1.0	1.0	mg/L		03/31/11 16:36	04/04/11 14:25	10
Specific Conductance	2700		1.0	1.0	umhos/cm	1		04/04/11 11:24	1

Client Sample ID: OC-PZ-18R	Lab Sample ID: 360-32852-4
Date Collected: 03/23/11 10:35	Matrix: Water
Date Received: 03/23/11 18:00	

Analyte	Result	Qualifier	RL	RL	Unit	D	Prepared	Analyzed	Dil Fac
Sulfate	190		20	20	mg/L			03/24/11 15:08	10
Chloride	100		10	10	mg/L			03/24/11 15:08	10
Ammonia	40		1.0	1.0	mg/L		03/31/11 16:36	04/04/11 14:26	10
Specific Conductance	930		1.0	1.0	umhos/cm			04/04/11 11:26	1

5

8

9

11

Qualifier Definition/Glossary

Client: Olin Corporation TestAmerica Job ID: 360-32852-1

Project/Site: Olin Chemical Quarterly Groundwater

Qualifiers

Metals

Qualifier	Qualifier Description
J	Result is less than the RL but greater than or equal to the MDL and the concentration is an approximate value.

Glossary

Abbreviation	These commonly used abbreviations may or may not be present in this report.
\	Listed under the "D" column to designate that the result is reported on a dry weight basis.
EPA	United States Environmental Protection Agency
ND	Not Detected above the reporting level.
MDL	Method Detection Limit
RL	Reporting Limit
RE, RE1 (etc.)	Indicates a Re-extraction or Reanalysis of the sample.
%R	Percent Recovery
RPD	Relative Percent Difference, a measure of the relative difference between two points.

Page 11 of 21

TestAmerica Westfield 04/05/2011

QC Association Summary

Client: Olin Corporation TestAmerica Job ID: 360-32852-1

Project/Site: Olin Chemical Quarterly Groundwater

Metals

Analysis Batch: 70948

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
LCS 360-70948/13	LCS 360-70948/13	Total/NA	Water	6010B	_
MB 360-70948/14	MB 360-70948/14	Total/NA	Water	6010B	
LCSD 360-70948/26	LCSD 360-70948/26	Total/NA	Water	6010B	
360-32852-1	OC-GW-25	Dissolved	Water	6010B	
360-32852-2	OC-GW-78S	Dissolved	Water	6010B	
360-32852-3	OC-GW-79S	Dissolved	Water	6010B	
360-32852-4	OC-PZ-18R	Dissolved	Water	6010B	

General Chemistry

Analysis Batch: 71006

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
360-32852-1	OC-GW-25	Total/NA	Water	300.0	
360-32852-2	OC-GW-78S	Total/NA	Water	300.0	
360-32852-2	OC-GW-78S	Total/NA	Water	300.0	
360-32852-3	OC-GW-79S	Total/NA	Water	300.0	
360-32852-4	OC-PZ-18R	Total/NA	Water	300.0	
360-32852-3	OC-GW-79S	Total/NA	Water	300.0	
MB 360-71006/3	MB 360-71006/3	Total/NA	Water	300.0	
LCS 360-71006/4	LCS 360-71006/4	Total/NA	Water	300.0	

Prep Batch: 71287

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
MB 360-71287/1-A	MB 360-71287/1-A	Total/NA	Water	Distill/Ammonia	
LCS 360-71287/2-A	LCS 360-71287/2-A	Total/NA	Water	Distill/Ammonia	
360-32852-1	OC-GW-25	Total/NA	Water	Distill/Ammonia	
360-32852-2	OC-GW-78S	Total/NA	Water	Distill/Ammonia	
360-32852-3	OC-GW-79S	Total/NA	Water	Distill/Ammonia	
360-32852-4	OC-PZ-18R	Total/NA	Water	Distill/Ammonia	

Analysis Batch: 71404

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
LCS 360-71404/1	LCS 360-71404/1	Total/NA	Water	SM 2510B	
360-32852-1	OC-GW-25	Total/NA	Water	SM 2510B	
360-32852-2	OC-GW-78S	Total/NA	Water	SM 2510B	
360-32852-3	OC-GW-79S	Total/NA	Water	SM 2510B	
360-32852-4	OC-PZ-18R	Total/NA	Water	SM 2510B	
MB 360-71404/3	MB 360-71404/3	Total/NA	Water	SM 2510B	

Analysis Batch: 71428

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
360-32852-1	OC-GW-25	Total/NA	Water	L107-06-1B	71287
360-32852-2	OC-GW-78S	Total/NA	Water	L107-06-1B	71287
360-32852-3	OC-GW-79S	Total/NA	Water	L107-06-1B	71287
360-32852-4	OC-PZ-18R	Total/NA	Water	L107-06-1B	71287
MB 360-71287/1-A	MB 360-71287/1-A	Total/NA	Water	L107-06-1B	71287
LCS 360-71287/2-A	LCS 360-71287/2-A	Total/NA	Water	L107-06-1B	71287

Ć

6

8

9

4 4

12

13

Client: Olin Corporation

Project/Site: Olin Chemical Quarterly Groundwater

Method: 6010B - Dissolved Metals

Lab Sample ID: MB 360-70948/14

Matrix: Water

Analysis Batch: 70948

Client Sample ID: MB 360-70948/14

Client Sample ID: MB 360-71006/3

Prep Type: Total/NA

Prep Type: Total/NA

10

MB MB Result Qualifier RL MDL Unit Dil Fac Analyte Prepared Analyzed Aluminum ND 100 12 ug/L 03/24/11 11:08 Chromium ND 5.0 0.65 ug/L 03/24/11 11:08

Lab Sample ID: LCS 360-70948/13 Client Sample ID: LCS 360-70948/13 Prep Type: Total/NA

Matrix: Water

Analysis Batch: 70948

Spike LCS LCS % Rec. Analyte Added Result Qualifier Unit % Rec Limits Aluminum 5000 5040 ug/L 101 80 - 120 1000 1000 Chromium ug/L 100 80 - 120

Lab Sample ID: LCSD 360-70948/26 Client Sample ID: LCSD 360-70948/26 Prep Type: Total/NA

Matrix: Water

Analysis Batch: 70948

Spike LCSD LCSD % Rec. **RPD** Analyte Added Result Qualifier Unit D % Rec Limits RPD Limit Aluminum 5000 5020 ug/L 100 80 - 120 0 20 Chromium 1000 993 ug/L 99 80 - 120 20 1

Method: 300.0 - Chloride & Sulfate

Lab Sample ID: MB 360-71006/3

Matrix: Water

Analysis Batch: 71006

	MB	MB							
Analyte	Result	Qualifier	RL	RL	Unit	D	Prepared	Analyzed	Dil Fac
Sulfate	ND		2.0	2.0	mg/L			03/24/11 09:36	1
Chloride	ND		1.0	1.0	mg/L			03/24/11 09:36	1

Lab Sample ID: LCS 360-71006/4 **Client Sample ID: LCS 360-71006/4** Prep Type: Total/NA

Matrix: Water

Analysis Batch: 71006

	Spike	LCS	LCS				% Rec.
Analyte	Added	Result	Qualifier	Unit	D	% Rec	Limits
Sulfate	80.0	85.6		mg/L		107	85 - 115
Chloride	40.0	42.1		mg/L		105	85 - 115

Method: L107-06-1B - Nitrogen Ammonia

Lab Sample ID: MB 360-71287/1-A Client Sample ID: MB 360-71287/1-A

ND

Matrix: Water

Ammonia

Analysis Batch: 71428

Prep Type: Total/NA Prep Batch: 71287 MB MB Analyte Result Qualifier RL RL Unit Prepared Analyzed Dil Fac

0.10 mg/L

0.10

04/04/11 13:50

03/31/11 16:36

Quality Control Data

Client: Olin Corporation TestAmerica Job ID: 360-32852-1

Project/Site: Olin Chemical Quarterly Groundwater

Method: L107-06-1B - Nitrogen Ammonia (Continued)

Lab Sample ID: LCS 360-71287/2-A **Matrix: Water**

Analysis Batch: 71428

Spike

LCS LCS Added Result Qualifier Unit % Rec Limits 10.0 9.38 mg/L 94 85 - 115

Method: SM 2510B - Conductivity, Specific Conductance

Lab Sample ID: MB 360-71404/3 Client Sample ID: MB 360-71404/3 Prep Type: Total/NA

Matrix: Water

Analyte

Ammonia

Analysis Batch: 71404

MB MB RL Analyte Result Qualifier RL Unit Prepared Analyzed Dil Fac 1.0 Specific Conductance ND 1.0 umhos/cm 04/04/11 11:04

Lab Sample ID: LCS 360-71404/1

Matrix: Water

Analysis Batch: 71404

Spike LCS LCS % Rec. Analyte Added Result Qualifier Unit % Rec Limits Specific Conductance 1410 1400 umhos/cm 99 85 - 115


Prep Type: Total/NA Prep Batch: 71287

Client Sample ID: LCS 360-71287/2-A

Client Sample ID: LCS 360-71404/1

Prep Type: Total/NA

Instrument Dilution Log Book



BL-QA-022

Instrument Dilution Log Book

Analysts				Initial Sample	Final	Final	
Initials	Date	Lab sample ID	Method/Analyte	Volume	Volume	Dilution	Comments
7.5.5.0 1.0.5.0.0.0.0.0.0.0.0.0.0.0.0.0.0.0.0.0.	3-77-11	32829C1	300-170	121	(0 mc)	10×	CL-Over-range
	-3	70				Yegoniados)
		0	Withinston	***		Martine and State Control of the State Control of t	7
7	7	TO X	7	-	_	>	Cot & Soy' covergange
		32829 CI	300 H847A	120	(0 page	(OK	NOz co-dustion with ce-
· .	may south 4 American	3	ACCORDING TO	^b Driverance 100			
		100 m					
7	7	7	7	- J	7	ブ	7
-7 1,λβ	1221	3787400					
7		90	Newson the state of the state o	******	~	***************************************	
		さつっ	J	7	ブ	7_	7
		32829 65	082-006			. 1	Ce- & 504-2 over-vauge
		90	· · · · · · · · · · · · · · · · · · ·	and the same of th			Co over-range
>	7	40 7	7	*	ナー	7	CR \$ 504-2006, -range
		10 16376		er Living			Soy 2 over-range
		0 2				-	
	-	60	***	, of		***	
7		20	7	7)	<u> </u>	7
3	324-11	92852C1	582 - 006	Was how	130	(A)	(2-\$50420Jer-range
		20		_{CO}	-	******	504 2 over-range
		63		***			~
Marines of July	3	さっ	7	J	7		CA- & SOW-LOVES-SENGE
700	5	5. (3)		500 LL	1200	20 K	Joy Lover range
		-	:	· .)
			Test	TestAmerica		-	

TestAmerica 53 Southampton Road Westfield, MA

BL-QA-022

Lab Chronicle

Client: Olin Corporation

Project/Site: Olin Chemical Quarterly Groundwater

Lab Sample ID: 360-32852-1 Client Sample ID: OC-GW-25

Date Collected: 03/23/11 09:10 Date Received: 03/23/11 18:00

TestAmerica Job ID: 360-32852-1

Matrix: Water

	Batch	Batch		Dilution	Batch	Prepared		
Prep Type	Type	Method	Run	Factor	Number	Or Analyzed	Analyst	Lab
Dissolved	Analysis	6010B		1	70948	03/24/11 12:49	TJS	TestAmerica Westfield
Total/NA	Analysis	300.0		10	71006	03/24/11 13:37	RWE	TestAmerica Westfield
Total/NA	Analysis	SM 2510B		1	71404	04/04/11 11:22	RWE	TestAmerica Westfield
Total/NA	Prep	Distill/Ammonia			71287	03/31/11 16:36	RWE	TestAmerica Westfield
Total/NA	Analysis	L107-06-1B		10	71428	04/04/11 14:21	RWE	TestAmerica Westfield

Client Sample ID: OC-GW-78S Lab Sample ID: 360-32852-2

Date Collected: 03/23/11 10:20 **Matrix: Water** Date Received: 03/23/11 18:00

	Batch	Batch		Dilution	Batch	Prepared		
Prep Type	Type	Method	Run	Factor	Number	Or Analyzed	Analyst	Lab
Dissolved	Analysis	6010B			70948	03/24/11 12:52	TJS	TestAmerica Westfield
Total/NA	Analysis	300.0		1	71006	03/24/11 13:52	RWE	TestAmerica Westfield
Total/NA	Analysis	300.0		10	71006	03/24/11 14:08	RWE	TestAmerica Westfield
Total/NA	Analysis	SM 2510B		1	71404	04/04/11 11:23	RWE	TestAmerica Westfield
Total/NA	Prep	Distill/Ammonia			71287	03/31/11 16:36	RWE	TestAmerica Westfield
Total/NA	Analysis	L107-06-1B		10	71428	04/04/11 14:22	RWE	TestAmerica Westfield

Client Sample ID: OC-GW-79S Lab Sample ID: 360-32852-3

Date Collected: 03/23/11 09:25 **Matrix: Water** Date Received: 03/23/11 18:00

	Batch	Batch		Dilution	Batch	Prepared		
Prep Type	Type	Method	Run	Factor	Number	Or Analyzed	Analyst	Lab
Dissolved	Analysis	6010B	_	1	70948	03/24/11 12:54	TJS	TestAmerica Westfield
Total/NA	Analysis	300.0		10	71006	03/24/11 14:38	RWE	TestAmerica Westfield
Total/NA	Analysis	300.0		20	71006	03/24/11 17:08	RWE	TestAmerica Westfield
Total/NA	Analysis	SM 2510B		1	71404	04/04/11 11:24	RWE	TestAmerica Westfield
Total/NA	Prep	Distill/Ammonia			71287	03/31/11 16:36	RWE	TestAmerica Westfield
Total/NA	Analysis	L107-06-1B		10	71428	04/04/11 14:25	RWE	TestAmerica Westfield

Client Sample ID: OC-PZ-18R Lab Sample ID: 360-32852-4

Date Collected: 03/23/11 10:35 **Matrix: Water** Date Received: 03/23/11 18:00

	Batch	Batch		Dilution	Batch	Prepared		
Prep Type	Type	Method	Run	Factor	Number	Or Analyzed	Analyst	Lab
Dissolved	Analysis	6010B		1	70948	03/24/11 12:57	TJS	TestAmerica Westfield
Total/NA	Analysis	300.0		10	71006	03/24/11 15:08	RWE	TestAmerica Westfield
Total/NA	Analysis	SM 2510B		1	71404	04/04/11 11:26	RWE	TestAmerica Westfield
Total/NA	Prep	Distill/Ammonia			71287	03/31/11 16:36	RWE	TestAmerica Westfield
Total/NA	Analysis	L107-06-1B		10	71428	04/04/11 14:26	RWE	TestAmerica Westfield

Certification Summary

Client: Olin Corporation TestAmerica Job ID: 360-32852-1

Project/Site: Olin Chemical Quarterly Groundwater

Laboratory	Authority	Program	EPA Region	Certification ID
TestAmerica Westfield	Connecticut	State Program	1	PH-0494
TestAmerica Westfield	Florida	NELAC	4	E87912
TestAmerica Westfield	Maine	State Program	1	MA00014
TestAmerica Westfield	Massachusetts	State Program	1	M-MA014
TestAmerica Westfield	New Hampshire	NELAC	1	2539
TestAmerica Westfield	New Jersey	NELAC	2	MA008
TestAmerica Westfield	New York	NELAC	2	10843
TestAmerica Westfield	North Carolina	North Carolina DENR	4	647
TestAmerica Westfield	Rhode Island	State Program	1	LAO00057
TestAmerica Westfield	Vermont	State Program	1	VT-10843

Accreditation may not be offered or required for all methods and analytes reported in this package. Please contact your project manager for the laboratory's current list of certified methods and analytes.

1

3

4

5

6

0

10

4 4

12

13

State Accreditation Matrix

			State where P	rimary Accreditati	on is Carried	
Method Name	Description	New Hampshire (NELAC) prim.	Mass	Conn	Florida (NELAC)	North Carolina
821-R-02-012	Toxicity, Acute (48-Hour)(list upon request)	NP		551	NP	
SM 4500 CI F	Chlorine, Residual		NP			
SM 9215E	Heterotrophic Plate Count (SimPlate)		Р			
SM 9222D	Coliforms, Fecal (Membrane Filter)		P/NP			
SM 9223	Coliforms, Total, and E.Coli (Colilert-P/A)		Р			
SM 9224	Coliforms, Total, and E.Coli (Enumeration)		Р			
1103.1	E.coli		ambient/			
Enterolert	Enterococcus		source			
200.8 Rev 5.4	Metals (ICP/MS) (list upon request)	NP/P	NP/P	NP/P		
200.7 Rev 4.4	Metals (ICP)(list upon request)	NP/P	NP/P	NP/P		
6010B	Metals (ICP)(list upon request)	NP/SW NP/P	NP	NP/SW NP/P		
245.1	Mercury (CVAA)	NP/P	NP	NP/P NP		
7470A	Mercury (CVAA)	SW		SW		
7471A SM 2340B	Mercury (CVAA) Total Hardness (as CaCO3) by calculation	NP/P	NP	NP/P		
3005A	Preparation, Total Recoverable or Dissolved Metals	NP/P	INF	NP/P		
3010A	Preparation, Total Metals	NP/P		NP/P		
3020A	Preparation, Total Metals	NP/P/SW		NP/P/SW		
3050B	Preparation, Metals	SW		SW		
504.1	EDB, DBCP and 1,2,3-TCP (GC)	P	Р	P		
608	Organochlorine Pest/PCBs (list upon request)	NP	NP	NP		
625	Semivolatile Org Comp (GC/MS)(list upon request)	NP		NP		
3546	Microwave Extraction	SW				
3510C	Liquid-Liquid Extraction (Separatory Funnel)	NP		NP		
3540C	Soxhlet Extraction	SW				
3550B	Ultrasonic Extraction	SW		SW		
600/4-81-045	Polychlorinated Biphenyls (PCBs) (GC)		NP	NP		
8081A	Organochlorine Pesticides (GC)(list upon request)	NP/SW		NP/SW		
8082	PCBs by Gas Chromatography(list upon request)	NP/SW		NP/SW		
8270C	Semivolatile Comp.(GC/MS)(list upon request)	NP/SW		NP/SW		
CT ETPH	Conn - Ext. Total petroleum Hydrocarbons (GC)			NP/SW		
MA-EPH	Mass - Extractable Petroleum Hydrocarbons (GC)			NP/SW		NP/SW
524.2	Volatile Org Comp (GC/MS)(list upon request)	Р	Р	Р		
524.2	Trihalomethane compounds	P	P	P		
624	Volatile Org Comp (GC/MS)(list upon request)	NP SW	NP	NP SW		
5035	Closed System Purge and Trap	NP		NP		
5030B	Purge and Trap	NP/SW		NP/SW		
8260B MAVPH	Volatile Org Comp. (GC/MS)(list upon request) Mass - Volatile Petroleum Hydrocarbons (GC)	INF/GVV		NP/SW		NP/SW
180.1	Turbidity. Nephelometric	P	Р	P P		INF/SW
300	Anions, Ion Chromatography	NP/P	NP/P	NP/P		
410.4	COD	NP	NP	NP		
1010	Ignitability, Pensky-Martens Closed-Cup Method	SW		SW		
10-107-06-2	Nitrogen, Total Kjeldahl	NP	NP	NP		
7196A	Chromium, Hexavalent	NP/SW		NP/SW		
9012A	Cyanide, Total and/or Amenable	NP/SW		NP/SW		
9030B	Sulfide, Distillation (Acid Soluble and Insoluble)	NP		NP		
9040B	pH	NP		NP		
9045C	pH	SW		SW		
L107041C	Nitrogen, Nitrate	NP	Р	NP/P		
L107-06-1B	Nitrogen Ammonia	NP	NP	NP/P		
L204001A CN	Cyanide, Total	Р	NP/P	NP/P		
L210-001A	Phenolics, Total Recoverable	NP	NP	NP		
SM 2320B	Alkalinity	NP/P	NP/P	NP/P		
SM 2510B	Conductivity, Specific Conductance	NP/P	NP/P	NP/P		
SM 2540C	Solids, Total Dissolved (TDS)	NP/P	NP/P	NP/P		
SM 2540D	Solids, Total Suspended (TSS)	NP	NP	NP		
SM 3500 CR D	Chromium, Hexavalent	NP		NP		ļ
SM 4500 H+ B	рН	NP/P	NP/P	NP/P		
SM 4500 NO2 B	Nitrogen, Nitrite	NP	P	NP/P		
SM 4500 P E	Phosphorus, Orthophosphate	NP/P	NP	NP/P		
SM 4500 P E	Phosphorus, Total	NP	NP	NP		
SM 4500 S2 D	Sulfide, Total	NP	NO	NP		
SM 5210B	BOD, 5-Day	NP ND/D	NP	NP ND/D		}
SM 5310B	Organic Carbon, Total (TOC)	NP/P	NP	NP/P]

Not all organic compounds are accreditied under NELAC

NP=Non Potable P= Potable SW=Solid Waste

For methods with multiple compounds all compounds may not meet NELAC criteria, listing should be obtained from the laboratory

The lab carries additional accreditations with several states. This is the laboratories typical listing but is subject to change based on the laboratories current certification standing.

WI-QA-040r5 last updated 3/2/2011 Page 19 of 21

Login Sample Receipt Checklist

Client: Olin Corporation Job Number: 360-32852-1

Login Number: 32852 List Source: TestAmerica Westfield

List Number: 1

Creator: Ard, Vanessa L

Question	Answer	Comment
Radioactivity either was not measured or, if measured, is at or below background	N/A	
The cooler's custody seal, if present, is intact.	N/A	
The cooler or samples do not appear to have been compromised or tampered with.	True	
Samples were received on ice.	True	
Cooler Temperature is acceptable.	True	
Cooler Temperature is recorded.	True	
COC is present.	True	
COC is filled out in ink and legible.	True	
COC is filled out with all pertinent information.	True	
Is the Field Sampler's name present on COC?	True	
There are no discrepancies between the sample IDs on the containers and the COC.	True	
Samples are received within Holding Time.	True	
Sample containers have legible labels.	True	
Containers are not broken or leaking.	True	
Sample collection date/times are provided.	True	
Appropriate sample containers are used.	True	
Sample bottles are completely filled.	True	
Sample Preservation Verified	True	
There is sufficient vol. for all requested analyses, incl. any requested MS/MSDs	True	
VOA sample vials do not have headspace or bubble is <6mm (1/4") in diameter.	N/A	
If necessary, staff have been informed of any short hold time or quick TAT needs	True	
Multiphasic samples are not present.	True	
Samples do not require splitting or compositing.	True	

9

6

8

46

11

N - None
O - ANA202
P - NA2045
Q - NA2045
Q - NA20503
R - NA20503
S - H2004
U - Acetone
U - Acetone
W - ph 4-5
Z - other (specify) Special Instructions/Note: 100110016 アナロ プレナコリリ Sompany Sample Disposal (A fee may be assessed if samples are retained longer than 1 month)

Return To Client SDisposal By Lab Archive For Mont reservation Codes: - Ascorbic Acid Page: Page 1 of 🔏 GOC No: 360-10702.1 A - HCL B - NaOH C - Zn Acetate D - Nitric Acid E - NaHSO4 F - MeOH G - Amchlor Presumptive Archive For Total Number of containers 360-32352 Method of Shipment: <u>ا</u> ا ا Analysis Requested Cooler Temperature(s) °C and Other Remarks: Special Instructions/QC Requirements: Chain of Custody Record E-Malt: becky.mason@testamericainc.com × × \$210B Spec. Cond., 300.0_28D SO4/CI × × × Of 0B - Field filtered AVCr Received Lab PM: Mason, Becky C × ACH_107_06_1_8 - Ammonia 7 <u>Z</u> <u>2</u> 7 Perform MS/MSD (Yes or No) Water Water Water Water Water Matrix Preservation Code: Water Water chepman 3493 Radiological G=grab) Sample Type (C=comb, b ٥ Ø Q Stondown 4 2:25 10:35 10:20 01:0 Sample Time Date: Unknown Ţ 3-23-11 Date/Time: 3-23-1/ Date/Time: Sampler: Dave (AT Requested (days): Due Date Requested: Phone: 339-3-23-11 3-23-11 3-23-11 3-23-11 Sample Date PO#: REWI0013 Project #: 36001816 SSOW#: #OM Poison B Skin Irritant ق beliverable Requested: I, II, III, IV, Other (specify Westfield Executive Park 53 Southampton Road Ò Custody Seal No.: 66 Westfield, MA 01085 Phone (413) 572-4000 Fax (413) 572-3707 OC-PZ-16RR 00-014-2020 OC-GW 202D OC-GW-79S OC-PZ-17BR C-GW-78S OC0PZ-18R OC-GW-25 TARTOS Chopmon Flammable 410 Possible Hazard Identification mpty Kit Relinquished by: Project Name: Olin Quarterly Groundwater Custody Seals Intact: Δ Yes Δ No Client Information Sample Identification eguichard@olin.com (1940) Client Contact: Mr. Brian Guichard Non-Hazard 51 Eames street Company: Olin Corporation State, Zlp: MA, 01887 Wilington hone.

TestAmerica Westfield